



ఆంధ్రప్రదేశ్ రాజపత్రము  
**THE ANDHRA PRADESH GAZETTE**  
**PUBLISHED BY AUTHORITY**

**PART I EXTRAORDINARY**

No.638

AMARAVATI, TUESDAY, JUNE 6, 2023

G.311

**NOTIFICATIONS BY GOVERNMENT**

--X--  
GOVERNMENT OF ANDHRA PRADESH  
ABSTRACT

Water Resources Department – Additional allocation of 1.35 TMC (including losses) to Singanamala Constituency in addition to 18.6858TMC already allocated from HNSS & HLC System – Orders -Issued.

-----  
**WATER RESOURCES (WRG-GRC) DEPARTMENT**

G.O.Rt.No.249

Dated: 06/06/2023.  
Read the Following:-

1. G.O.Rt.No.1782, Water Resources (WRG-GRC) Department, dated: 19.07.2022.
2. From the Engineer-in-Chief (Irr), Water Resources Department, Vijayawada, Lr.No.ENC(I)/DCE-GDS/OT2/AEE12/CMP's/Vol-2, dated:13.04.2023.

@@@

ORDER:

In the reference 1<sup>st</sup> read above, the Government have accorded permission for additional water requirement of 18.6858 TMC including those already sanctioned by the Government in addition to 40.000 TMC subject to contemplated additional drawls of 6300 cusecs from HNSS project **during flood days.**

2. In the reference 2<sup>nd</sup> read above, the Engineer-in-Chief (Irr), Water Resources Department, Vijayawada has submitted his detailed report on the proposal of Chief Engineer (Projects), Water Resources Department, Ananthapuramu and requested the Government for additional allocation of 1.35 TMC (including losses) from HNSS & HLC System to fill 45 MI tanks as to restore the original ayacut in Singanamala Constituency and increasing the ground water levels and also to reduce the drinking water scarcity in the six mandals of Singanamala Constituency, in addition to 18.6858 TMC already allocated under HNSS System, keeping in view of the widening of HNSS Phase-I to draw 6300 cusecs of water, further linking of GNSS from YSR Kadapa with HNSS system in Annamayya District, so that water requirements of Annamayya District and Chittoor District are met.

3. Government, after careful examination of the report of the Engineer-in-Chief (Irr), Water Resources Department, Vijayawada, hereby accord permission to the Engineer-in-Chief (Irr), Water Resources Department, Vijayawada **for additional allocation of 1.35 TMC (including losses)** to Singanamala Constituency in addition to 18.6858 TMC already allocated under HNSS System, keeping in view of the widening of HNSS Phase-I to draw 6300 cusecs of water, further linking of GNSS from YSR Kadapa with HNSS system in Annamayya District and the water requirements of Anamayya District and Chittoor District are met the savings of water in the system.

4. The Engineer-in-Chief (Irr), Water Resources Department, Vijayawada shall take necessary action.

5. Copy of the order is available in the **[apegazette.cgg.gov.in](http://apegazette.cgg.gov.in)** website.

(BYORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR  
PRINCIPAL SECRETARY TO GOVERNMENT

To  
The Engineer-in-Chief (Irr), Water Resources Department, Vijayawada.

**Copy to:**

The Chief Engineer (Projects), Water Resources Department,  
Ananthapuramu.

The P.S. to Minister, Water Resources Department.

The P.S. to Principal Secretary to Government, Water Resources  
Department.

The P.S. to Additional Secretary to CM.

SC/SF.

//FORWARDED:: BY ORDER//

SECTION OFFICER